

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office JUL 01 1994

Returned to applicant for correction _____

Corrected application filed _____

Map filed SEP 21 1994

The applicant **RENO DISPOSAL COMPANY** hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **Underground**
2. The amount of water applied for is **0.25 cfs (100 gpm)** second-feet
 - (a) If stored in reservoir give number of acre-feet **0.03 (10,000 gal.)**
3. The water to be used for **Building de-watering (90%) & garbage compaction (10%)**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point **The water is to be diverted from its source at the following point within the SE¼ SE¼ Section 30, T.21N., R.19E., M.D.M. or at a point from which the southwest corner of said Section 30 bears S. 78° 05' 30" W. 5233.1 feet.**
6. Place of Use **Place of use portions of the NE¼ SE¼ and SE¼ SE¼ of Section 30, T.21N., R.19E., M.D.M., being Parcels A and C of Record of Survey of Lot Line Adjustment, Survey 2557, File No. 1656234, Official Records of Washoe County.**
7. Use will begin about **January 1** and end about **December 31** of each year.
8. Description of proposed works **Underground cutoff drainage system, collection sumps & pumps, pumping into 10,000 gal. storage tank. Excess to go to the Sliver Lake Playa.**
9. Estimated cost of works **\$100,00.00**
10. Estimated time required to construct works **Work has been completed**
11. Estimated time required to complete the application of water to beneficial use **Immediate**

60195

12. Remarks: The existing water quality precludes use for human consumption or irrigation. Less than 10% of the possible 100 gpm will be used for compaction while the remainder will be discharged to the Silver Lake Playa. This facility has a construction dewatering discharge permit from NDEP and has made application for a permanent discharge permit. Estimated 5 year diversion – 52.5 MGA

By s/Dennis Freeman
100 Vassar Street
Reno, Nevada 89502

Compared my/cmf

Protested _____

